


JIC aansluiting

K2DKJ

| | |
|--------------|------------------------------|
| Aansluiting | : Binnendraad met losse moer |
| Schroefdraad | : JIC |
| Afdichting | : 74° conus |
| Uitvoering | : Recht |
| Norm | : SAE J516/J514 |




| DN | Inch | T draad | C mm | E mm | Referentie |
|----|--------|------------|------|------|------------|
| 5 | 3/16" | 7/16"-20 | 14 | 17 | K2DKJ0507 |
| 6 | 1/4" | 7/16"-20 | 14 | 15 | K2DKJ0607 |
| 6 | 1/4" | 1/2"-20 | 15 | 17 | K2DKJ0608 |
| 6 | 1/4" | 9/16"-18 | 16 | 19 | K2DKJ0609 |
| 8 | 5/16" | 1/2"-20 | 15 | 17 | K2DKJ0808 |
| 8 | 5/16" | 9/16"-18 | 16 | 19 | K2DKJ0809 |
| 10 | 3/8" | 1/2"-20 | 15 | 17 | K2DKJ1008 |
| 10 | 3/8" | 9/16"-18 | 16 | 19 | K2DKJ1009 |
| 10 | 3/8" | 5/8"-18 | 15 | 22 | K2DKJ1010 |
| 10 | 3/8" | 3/4"-16 | 17 | 24 | K2DKJ1012 |
| 10 | 3/8" | 7/8"-14 | 21 | 27 | K2DKJ1014 |
| 12 | 1/2" | 3/4"-16 | 18 | 24 | K2DKJ1212 |
| 12 | 1/2" | 7/8"-14 | 19 | 27 | K2DKJ1214 |
| 12 | 1/2" | 1.1/16"-12 | 24 | 32 | K2DKJ1217 |
| 16 | 5/8" | 7/8"-14 | 19 | 27 | K2DKJ1614 |
| 16 | 5/8" | 1.1/16"-12 | 21 | 32 | K2DKJ1617 |
| 20 | 3/4" | 7/8"-14 | 20 | 27 | K2DKJ2014 |
| 20 | 3/4" | 1.1/16"-12 | 22 | 32 | K2DKJ2017 |
| 20 | 3/4" | 1.3/16"-12 | 21 | 36 | K2DKJ2019 |
| 20 | 3/4" | 1.5/16"-12 | 23 | 38 | K2DKJ2021 |
| 25 | 1" | 1.1/16"-12 | 23 | 32 | K2DKJ2517 |
| 25 | 1" | 1.3/16"-12 | 24 | 36 | K2DKJ2519 |
| 25 | 1" | 1.5/16"-12 | 24 | 41 | K2DKJ2521 |
| 25 | 1" | 1.5/8"-12 | 27 | 50 | K2DKJ2526 |
| 32 | 1.1/4" | 1.5/8"-12 | 28 | 50 | K2DKJ3226 |
| 32 | 1.1/4" | 1.7/8"-12 | 31 | 55 | K2DKJ3230 |
| 38 | 1.1/2" | 1.7/8"-12 | 31 | 55 | K2DKJ3830 |
| 50 | 2" | 2.1/2"-12 | 31 | 70 | K2DKJ5040 |

Referentie rvs uitvoering: vervang K door R

K24DKJ

| | |
|--------------|------------------------------|
| Aansluiting | : Binnendraad met losse moer |
| Schroefdraad | : JIC |
| Afdichting | : 74° conus |
| Uitvoering | : 45° gebogen - monobloc |
| Norm | : SAE J516/J514 |



Vanaf DN25 uitvoering voorzien met thrust wire moer.


| DN | Inch | T draad | C mm | E mm | H mm | Referentie |
|----|--------|------------|------|------|------|------------|
| 5 | 3/16" | 7/16"-20 | 33 | 17 | 15 | K24DKJ0507 |
| 6 | 1/4" | 7/16"-20 | 38 | 17 | 13 | K24DKJ0607 |
| 6 | 1/4" | 1/2"-20 | 40 | 17 | 14 | K24DKJ0608 |
| 6 | 1/4" | 9/16"-18 | 42 | 19 | 16 | K24DKJ0609 |
| 8 | 5/16" | 9/16"-18 | 47 | 19 | 18 | K24DKJ0809 |
| 10 | 3/8" | 1/2"-20 | 51 | 17 | 17 | K24DKJ1008 |
| 10 | 3/8" | 9/16"-18 | 51 | 19 | 17 | K24DKJ1009 |
| 10 | 3/8" | 3/4"-16 | 52 | 24 | 19 | K24DKJ1012 |
| 10 | 3/8" | 7/8"-14 | 54 | 27 | 21 | K24DKJ1014 |
| 12 | 1/2" | 3/4"-16 | 62 | 24 | 22 | K24DKJ1212 |
| 12 | 1/2" | 7/8"-14 | 64 | 27 | 23 | K24DKJ1214 |
| 16 | 5/8" | 7/8"-14 | 68 | 27 | 24 | K24DKJ1614 |
| 16 | 5/8" | 1.1/16"-12 | 70 | 32 | 25 | K24DKJ1617 |
| 20 | 3/4" | 7/8"-14 | 83 | 27 | 27 | K24DKJ2014 |
| 20 | 3/4" | 1.1/16"-12 | 84 | 32 | 28 | K24DKJ2017 |
| 20 | 3/4" | 1.5/16"-12 | 88 | 41 | 30 | K24DKJ2021 |
| 25 | 1" | 1.1/16"-12 | 103 | 32 | 32 | K24DKJ2517 |
| 25 | 1" | 1.5/16"-12 | 104 | 41 | 33 | K24DKJ2521 |
| 32 | 1.1/4" | 1.5/8"-12 | 131 | 50 | 43 | K24DKJ3226 |
| 38 | 1.1/2" | 1.7/8"-12 | 154 | 55 | 49 | K24DKJ3830 |
| 50 | 2" | 2.1/2"-12 | 196 | 70 | 68 | K24DKJ5040 |

Referentie rvs uitvoering: vervang K door R

JIC aansluiting

K29DKJ

| | |
|--------------|------------------------------|
| Aansluiting | : Binnendraad met losse moer |
| Schroefdraad | : JIC |
| Afdichting | : 74° conus |
| Uitvoering | : 90° gebogen - monobloc |
| Norm | : SAE J516/J514 |




Vanaf DN25 uitvoering voorzien met thrust wire moer.

| DN | Inch | T draad | C mm | E mm | H mm | Referentie |
|----|--------|------------|------|------|------|------------|
| 5 | 3/16" | 7/16"-20 | 22 | 17 | 22 | K29DKJ0507 |
| 6 | 1/4" | 7/16"-20 | 25 | 17 | 24 | K29DKJ0607 |
| 6 | 1/4" | 1/2"-20 | 25 | 17 | 25 | K29DKJ0608 |
| 6 | 1/4" | 9/16"-18 | 25 | 19 | 27 | K29DKJ0609 |
| 8 | 5/16" | 9/16"-18 | 29 | 19 | 31 | K29DKJ0809 |
| 8 | 5/16" | 3/4"-16 | 29 | 24 | 41 | K29DKJ0812 |
| 10 | 3/8" | 1/2"-20 | 33 | 17 | 30 | K29DKJ1008 |
| 10 | 3/8" | 9/16"-18 | 31 | 19 | 32 | K29DKJ1009 |
| 10 | 3/8" | 5/8"-18 | 33 | 22 | 32 | K29DKJ1010 |
| 10 | 3/8" | 3/4"-16 | 33 | 24 | 34 | K29DKJ1012 |
| 10 | 3/8" | 7/8"-14 | 33 | 27 | 36 | K29DKJ1014 |
| 12 | 1/2" | 3/4"-16 | 39 | 24 | 39 | K29DKJ1212 |
| 12 | 1/2" | 7/8"-14 | 39 | 27 | 43 | K29DKJ1214 |
| 12 | 1/2" | 1.1/16"-12 | 39 | 32 | 43 | K29DKJ1217 |
| 16 | 5/8" | 7/8"-14 | 43 | 27 | 44 | K29DKJ1614 |
| 16 | 5/8" | 1.1/16"-12 | 45 | 32 | 47 | K29DKJ1617 |
| 20 | 3/4" | 7/8"-14 | 56 | 27 | 53 | K29DKJ2014 |
| 20 | 3/4" | 1.1/16"-12 | 56 | 32 | 54 | K29DKJ2017 |
| 20 | 3/4" | 1.3/16"-12 | 57 | 36 | 54 | K29DKJ2019 |
| 20 | 3/4" | 1.5/16"-12 | 56 | 41 | 58 | K29DKJ2021 |
| 25 | 1" | 1.1/16"-12 | 70 | 32 | 64 | K29DKJ2517 |
| 25 | 1" | 1.5/16"-12 | 70 | 41 | 65 | K29DKJ2521 |
| 25 | 1" | 1.5/8"-12 | 70 | 50 | 74 | K29DKJ2526 |
| 32 | 1.1/4" | 1.5/8"-12 | 85 | 50 | 88 | K29DKJ3226 |
| 38 | 1.1/2" | 1.7/8"-12 | 99 | 55 | 101 | K29DKJ3830 |
| 50 | 2" | 2.1/2"-12 | 125 | 70 | 134 | K29DKJ5040 |

Referentie rvs uitvoering: vervang K door R

K29DKJ compact

| | |
|--------------|---|
| Aansluiting | : Binnendraad met losse moer |
| Schroefdraad | : JIC |
| Afdichting | : 74° conus |
| Uitvoering | : 90° gebogen - monobloc - compact |
| Norm | : SAE J516/J514 |




| DN | Inch | T draad | C mm | E mm | H mm | Referentie |
|----|-------|------------|------|------|------|-------------|
| 6 | 1/4" | 7/16"-20 | 14 | 17 | 20 | K29DKJ0607C |
| 6 | 1/4" | 1/2"-20 | 14 | 17 | 21 | K29DKJ0608C |
| 6 | 1/4" | 9/16"-18 | 15 | 19 | 24 | K29DKJ0609C |
| 8 | 5/16" | 9/16"-18 | 15 | 19 | 24 | K29DKJ0809C |
| 10 | 3/8" | 9/16"-18 | 18 | 19 | 24 | K29DKJ1009C |
| 10 | 3/8" | 5/8"-18 | 23 | 22 | 21 | K29DKJ1010C |
| 10 | 3/8" | 3/4"-16 | 24 | 24 | 22 | K29DKJ1012C |
| 12 | 1/2" | 3/4"-16 | 21 | 24 | 23 | K29DKJ1212C |
| 12 | 1/2" | 7/8"-14 | 21 | 27 | 23 | K29DKJ1214C |
| 16 | 5/8" | 7/8"-14 | 23 | 27 | 27 | K29DKJ1614C |
| 16 | 5/8" | 1.1/16"-12 | 23 | 32 | 29 | K29DKJ1617C |
| 20 | 3/4" | 1.1/16"-12 | 27 | 32 | 31 | K29DKJ2017C |
| 25 | 1" | 1.5/16"-12 | 35 | 41 | 37 | K29DKJ2521C |

Referentie rvs uitvoering: vervang K door R

JIC aansluiting

K2DKJ tegenmoer

| | |
|--------------|---------------------------------------|
| Aansluiting | : Binnendraad met losse moer |
| Schroefdraad | : JIC |
| Afdichting | : 74° conus |
| Uitvoering | : Recht Voorzien van een tegenmoer |




| DN | Inch | T draad | C mm | E mm | E1 mm | Referentie |
|----|-------|------------|------|------|-------|------------|
| 6 | 1/4" | 7/16"-20 | 20 | 17 | 12 | K2DKJ0607T |
| 6 | 1/4" | 1/2"-20 | 20 | 17 | 14 | K2DKJ0608T |
| 6 | 1/4" | 9/16"-18 | 22 | 19 | 15 | K2DKJ0609T |
| 8 | 5/16" | 1/2"-20 | 20 | 17 | 14 | K2DKJ0808T |
| 8 | 5/16" | 9/16"-18 | 22 | 19 | 15 | K2DKJ0809T |
| 10 | 3/8" | 9/16"-18 | 22 | 19 | 15 | K2DKJ1009T |
| 10 | 3/8" | 3/4"-16 | 24 | 24 | 19 | K2DKJ1012T |
| 12 | 1/2" | 3/4"-16 | 24 | 24 | 19 | K2DKJ1212T |
| 12 | 1/2" | 7/8"-14 | 26 | 27 | 22 | K2DKJ1214T |
| 16 | 5/8" | 7/8"-14 | 26 | 27 | 22 | K2DKJ1614T |
| 16 | 5/8" | 1.1/16"-12 | 27 | 32 | 27 | K2DKJ1617T |
| 20 | 3/4" | 1.1/16"-12 | 30 | 32 | 27 | K2DKJ2017T |
| 25 | 1" | 1.5/16"-12 | 35 | 38 | 32 | K2DKJ2521T |

Referentie rvs uitvoering: vervang K door R

K2AGJ

| | |
|--------------|-----------------|
| Aansluiting | : Buitendraad |
| Schroefdraad | : JIC |
| Afdichting | : 74° conus |
| Uitvoering | : Recht |
| Norm | : SAE J516/J514 |



| DN | Inch | T draad | C mm | E mm | Referentie |
|----|--------|------------|------|------|------------|
| 5 | 3/16" | 7/16"-20 | 26 | 12 | K2AGJ0507 |
| 6 | 1/4" | 7/16"-20 | 27 | 12 | K2AGJ0607 |
| 6 | 1/4" | 1/2"-20 | 27 | 14 | K2AGJ0608 |
| 6 | 1/4" | 9/16"-18 | 27 | 15 | K2AGJ0609 |
| 8 | 5/16" | 1/2"-20 | 27 | 14 | K2AGJ0808 |
| 8 | 5/16" | 9/16"-18 | 27 | 15 | K2AGJ0809 |
| 8 | 5/16" | 3/4"-16 | 30 | 19 | K2AGJ0812 |
| 10 | 3/8" | 9/16"-18 | 27 | 15 | K2AGJ1009 |
| 10 | 3/8" | 5/8"-18 | 30 | 17 | K2AGJ1010 |
| 10 | 3/8" | 3/4"-16 | 30 | 19 | K2AGJ1012 |
| 10 | 3/8" | 7/8"-14 | 34 | 24 | K2AGJ1014 |
| 12 | 1/2" | 9/16"-18 | 28 | 19 | K2AGJ1209 |
| 12 | 1/2" | 3/4"-16 | 31 | 19 | K2AGJ1212 |
| 12 | 1/2" | 7/8"-14 | 35 | 24 | K2AGJ1214 |
| 12 | 1/2" | 1.1/16"-12 | 37 | 27 | K2AGJ1217 |
| 16 | 5/8" | 7/8"-14 | 35 | 24 | K2AGJ1614 |
| 16 | 5/8" | 1.1/16"-12 | 37 | 27 | K2AGJ1617 |
| 20 | 3/4" | 7/8"-14 | 36 | 24 | K2AGJ2014 |
| 20 | 3/4" | 1.1/16"-12 | 38 | 27 | K2AGJ2017 |
| 20 | 3/4" | 1.3/16"-12 | 41 | 32 | K2AGJ2019 |
| 20 | 3/4" | 1.5/16"-12 | 42 | 34 | K2AGJ2021 |
| 20 | 3/4" | 1.5/8"-12 | 45 | 42 | K2AGJ2026 |
| 25 | 1" | 1.1/16"-12 | 39 | 27 | K2AGJ2517 |
| 25 | 1" | 1.3/16"-12 | 42 | 32 | K2AGJ2519 |
| 25 | 1" | 1.5/16"-12 | 43 | 34 | K2AGJ2521 |
| 25 | 1" | 1.5/8"-12 | 46 | 42 | K2AGJ2526 |
| 32 | 1.1/4" | 1.5/8"-12 | 47 | 42 | K2AGJ3226 |
| 32 | 1.1/4" | 1.7/8"-12 | 52 | 50 | K2AGJ3230 |
| 38 | 1.1/2" | 1.7/8"-12 | 52 | 50 | K2AGJ3830 |
| 50 | 2" | 2.1/2"-12 | 62 | 65 | K2AGJ5040 |

Referentie rvs uitvoering: vervang K door R